

Self Lay Mains Scheme

Request for Routine Inline Mains Connection

To be returned with supporting documentation as specified in the Self Lay Code of Practice, (2nd edition) National Addendum for Safe Control of Routine Mains Connections

If this connection is for a NAV site, please also provide a copy of the Water Services Regulation Authority variation of appointments notice made under s.7(2) and s.7(4)(b) of the Water industry Act 1991

Email: SelfLay@nwl.co.uk

NW Ref.	Q	Date Sent to NW	
Self Lay Organisation (SLO)			
Originator		Contact Telephone Number	
Site address			
Location/Section of main (Description)			

Description of proposed works: Please attach Method Statement detailing step by step procedure & techniques					
Existing main size (mm)		Material			
New main size (mm)		Material		Length (m)	
Connection will be to:					(Please tick)
1. newly laid main					
2. a main controlled by a sluice valve / double spade valve					
3. a main which does not supply properties					
Method for isolating supply					
1. operate valve					
2. squeeze off					
3. double spade valve					
4. other, please describe					
Proposed start	Date	Time	Proposed end	Date	Time

SLO Senior Competent Person (SCP) Authoriser	Name:	Signature:	EUSR No.:
Competent Person (CP) Undertaking Work	Name:	Signature:	EUSR No.:
SCP comments: <i>(please attach separate sheet if required)</i>			
SCP Contact No.			

NW office only – Is this site a NAV?	YES -	NO -	If yes, check that OFWAT has awarded NAV before Approval
NW Clearance to proceed	Name:	Signature:	Contact No.:

NW conditions or specific requirements:

Date Connection Approved:

NW office use only

Date form received at New
Development

Date form passed to
Construction Supervisor